

Lifting Yoke LYA 201

QR Code

Product Image

Technical data

Item no	WLL (ton)	L Max (mm)	L Min (mm)
LYA201-2-1000-500-(A/B/C)	2	1000	500
LYA201-2-2000-1000-(A/B/C)	2	2000	1000
LYA201-2-3000-1200-(A/B/C)	2	3000	1200
LYA201-2-5000-2500-(A/B/C)	2	5000	2500
LYA201-2-6000-3000-(A/B/C)	2	6000	3000
LYA201-3-1000-500-(A/B/C)	3	1000	500
LYA201-3-2000-1000-(A/B/C)	3	2000	1000
LYA201-3-3000-1200-(A/B/C)	3	3000	1200
LYA201-3-4000-1500-(A/B/C)	3	4000	1500
LYA201-3-5000-2500-(A/B/C)	3	5000	2500
LYA201-3-6000-3000-(A/B/C)	3	6000	3000
LYA201-5-1000-500-(A/B/C)	5	1000	500
LYA201-5-2000-1000-(A/B/C)	5	2000	1000
LYA201-5-3000-1200-(A/B/C)	5	3000	1200
LYA201-5-4000-1500-(A/B/C)	5	4000	1500
LYA201-5-5000-2500-(A/B/C)	5	5000	2500
LYA201-5-6000-3000-(A/B/C)	5	6000	3000
LYA201-10-1000-500-(A/B/C)	10	1000	500
LYA201-10-2000-1000-(A/B/C)	10	2000	1000
LYA201-10-3000-1200-(A/B/C)	10	3000	1200
LYA201-10-4000-1500-(A/B/C)	10	4000	1500
LYA201-10-5000-2500-(A/B/C)	10	5000	2500

LYA201-10-6000-3000-(A/B/C)	10	6000	3000
-----------------------------	----	------	------

Lifting Yoke LYA 201

Product description

FRAM Adjustable Lifting Yoke LYA 201

FRAM Adjustable Lifting Yoke LYA 201 is supplied in several different capacities and lengths.

LYA 201 can be adapted to the task with the selectable eye pads.

Working width and center of gravity shift can be adapted to the lift.

FRAM Lifting Yoke LYA 201 is supplied in lengths from 1.0 to 6.0 metres. WLL from 2.0 tonnes to 10.0 tonnes according to Machine Directive 2006/42EC and EN13155.

The table below presents a selection of standard variants, but we can adapt the size and design to the customer's needs. Then there are few restrictions on dimensions and WLL.

All lifting yokes can be certified according to a number of relevant standards such as, for example, Norsok R002, DNV 2.7.3. , DNV ST-N001 etc.

FRAM produces all lifting yokes with material traceability and certified procedures. FRAM performs load testing of lifting points and 100% NDT of load-bearing welds.

LYA 201 Lifting Yoke is supplied powder coated in RAL 1004.

Other types of surface treatment on request, e.g. galvanized, various industrial paint systems, or Norsok M501.

Documentation package according to the customer's request.

Get in touch for a quote.